

5/11/2018

Print



Dart Hawkesbury  
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada  
Tel (613) 632-5200

## Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Tot
PO37509	DIV001-VU	8	1	Net 30	M304EX0.75-16F	Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf				480	5/9/2018	480		S070544	Stock	5/11/2018	\$ 4.20 / sf	0		\$2.0
		9								640	6/6/2018	640		S070545	Stock	5/11/2018	\$ 4.20 / sf	0		\$2.64
Total:										1,120		1,120								\$4,704

Plex 5/11/2018 1:00 PM Dart.Dubois.Pascal



14 Connor Lane, Deer Park, NY 11729 Tel: 631.761.6200 Fax: 631.761.6201

Customer PO #	Order Date	SP
PO37509	08/22/17	AB

Sales Order Number	43970
Invoice Date	5/1/2018
Invoice Number	66760

Ship To:
DART AEROSPACE LTD. 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7 CANADA

# Pkg.	1 SKID
Weight	1,150 LBS

Ship Date	Shipped Via	Test Reports
5/1/2018	JOURNEY FRT	Y

Item #	Order Qty	U/M	Description	Qty Shipped	Bal. on Order
i	4800	SF	M304EXB.75-16F 304 SS EXPANDED METAL PER ASTM F1267 48" WD X 96" LG NOTE: DIAMOND MUST RUN ALONG THE 8 FT MILL: ATI; HEAT #: 848310  SHIP SCHEDULE AS FOLLOWS: 640 SF (20 SHEETS) - 12/06/17 480 SF (15 SHEETS) - 01/11/18 480 SF (15 SHEETS) - 02/08/17 640 SF (20 SHEETS) - 03/08/18 640 SF (20 SHEETS) - 04/12/18 480 SF (15 SHEETS) - 05/10/18 <del>320 SF (10 SHEETS) - 06/14/18</del> 480 SF (15 SHEETS) - 07/12/17 640 SF (20 SHEETS) - 08/09/18	1,120	0

PACKING LIST  
CERTIFICATE OF COMPLIANCE

We certify that the materials described above conform to the specifications stated.

*Callie Vail*  
Quality Control Manager



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER PO37509

**Supplier:** DIV001-VU  
Diversified Industrial Products  
14 Connor Lane  
Deer Park, NY 11803 USA  
Phone: 516 822 8300  
Fax: 516 822 8332

**PO No:** PO37509  
**PO Date:** 9/1/17  
**Due Date:** 9/28/18  
**Purchase Order Revision:**  
**Revision Date:**  
**Ship-To Contact:** Phone:

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Pymt Terms:** net 30  
**Freight Terms:**  
**Special Comments:**

## Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
4	M304EX0.75-16F		Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf	Firmed	3/8/18	640 sf	0 sf	640 sf	\$4.20/sf	\$2,688.00
							640		MAR 09 2018	
5	M304EX0.75-16F		Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf	Firmed	3/8/18	640 sf	0 sf	640 sf	\$4.20/sf	\$2,688.00
							640		MAR 09 2018	
6	M304EX0.75-16F		Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf	Firmed	4/16/18	480 sf	0 sf	480 sf	\$4.20/sf	\$2,016.00
							480		APR 12 2018	
7	M304EX0.75-16F		Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf	Firmed	5/9/18	320 sf	0 sf	320 sf	\$4.20/sf	\$1,344.00
							320		APR 12 2018	
8	M304EX0.75-16F		Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf	Firmed	5/9/18	480 sf	0 sf	480 sf	\$4.20/sf	\$2,016.00
							480		MAY 11 2018	

DA  
1  
9-8

DA  
11  
9-8

DA  
1  
9-8

OAS  
11  
9-89

DAS  
11  
9-89

3/9/2018

## PURCHASE ORDER

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
9	M304EX0.75-16F		Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf	Firmed	6/6/18	640 sf	0 sf	640 sf	\$4.20/sf	\$2,688.00
Grand Total: \$13,440.00										
Order Notes										
Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit <a href="http://www.dartaerospace.com">www.dartaerospace.com</a> for further explanation.										

Plex 3/9/18 1:28 PM dart.lavoie.chantal

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304EX0.7516 f  
 DATE: MAY 11 2018

PO / BATCH NO.: P037509/5070544

MATERIAL CERT REC'D: YES  
 QUANTITY RECEIVED: 4805T  
 QUANTITY INSPECTED: 4805T  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.75  
 THICKNESS RECEIVED: 0.75  
 SHEET SIZE ORDERED: 4x8  
 SHEET SIZE RECEIVED: 4x8

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	Astm A240
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT	(Y)	N	Heat # 848310
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>11</u> DATE: <u>MAY 11 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304EX0.7516P  
 DATE: MAY 11 2018

PO / BATCH NO.: 037509/50705415

MATERIAL CERT REC'D: YES  
 QUANTITY RECEIVED: 47640<sup>sf</sup>  
 QUANTITY INSPECTED: 640<sup>sf</sup>  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.75  
 THICKNESS RECEIVED: 0.75  
 SHEET SIZE ORDERED: 4x8  
 SHEET SIZE RECEIVED: 4x8

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	<u>Astun A240</u>
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT	(Y)	N	<u>Heat #848310</u>
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	


CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> DATE: <u>9-89 MAY 11 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# SPECIFICATION CONTROL DRAWING



STYLE	SIZE OF DIAMOND <sup>1</sup>				SIZE OF STRAND				WEIGHT lb/ft <sup>2</sup>	
	"A"		"B"		WIDTH "W"		THICK		STD	FLAT
1/2-18	STD	FLAT	STD	FLAT	STD	FLAT	STD	FLAT	0.73	0.70
1/2-16	0.48	0.48	1.20	1.24	0.085	0.100	0.050	0.040	0.91	0.90
3/4-18	0.48	0.48	1.20	1.24	0.085	0.100	0.062	0.050	0.47	0.46
3/4-16	0.90	0.90	2.00	2.10	0.100	0.118	0.050	0.040	0.80	0.57
3/4-13	0.90	0.90	2.00	2.10	0.100	0.118	0.062	0.050	0.91	0.88
3/4-9	0.90	0.90	2.00	2.10	0.150	0.165	0.140	0.120	2.05	1.96

<sup>1</sup> A TOLERANCE OF +/-10% OR +/- 0.07 (MIN) IS PERMITTED

PURCHASE MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH

(REF. STAINLESS STEEL PER ASTM A276)

B

SPECIFICATION: ASTM F1267 OR MIL-M-77194D

PART NUMBER: M304EX/YY/TT/F

SIZE | GA |

YY = SIZE  
TT = GAUGE THICKNESS OF METAL  
F = FLATTENED (OPTIONAL)

EG. 3/4"-16F EXPANDED METAL MESH (FLATTENED) = M304EX/75-16F

REV	DESCRIPTION	BY	DATE
B	REFORMAT DWG. ADD MIL/ASTM SPECS (ZN AB-1), ADD TABLE & DETAIL (ZN 06-1), REF NCR 09-090	DS	10.01.11
A	NEW ISSUE		
DESIGN			
DRAWN			
CHECKED			
MFG. APPR			
APPROVED			
DE APPR			
DATE	10.01.11		

304/316 SS EXPANDED METAL MESH  
DART AEROSPACE LTD  
HAWKESBURY, ONTARIO, CANADA  
REV. B  
SHEET 1 OF 1  
SCALE  
N/S

RELEASED  
2010-05-26

## AL-6160-8 0814

### PART 5: REFERENCES

DATE SHIPPED \_\_\_\_\_

INVOICE

65183

DIVERSIFIED INDUSTRIAL PRODUCTS  
14 CONNOR LANE  
DEER PARK, NY 11729

CARRIER - CUSTOMER TRUCK  
IN 3 EDGE (ASTM-A-240-15B) (ASTM-A-480-16) (UNS

# 3027

## Abstract

13805

---C---	---MN---	---P---	---S---	---ST---	---CR---	---NI---	---N---
.020	1.66	.038	.0004	.36	18.27	8.15	.08
BN	BN	BN	BN	BN	BN	BN	BN

TEST LOCATION	YIELD PSI *	TENSILE PSI	% ELONG IN 2"	% R/A NR	HARDNESS 85.HRBW	BEND NR	ASTM GRAIN SIZE NR	HARDENABILITY NR
TEM TEST NO 01 8836684	T 48200.	94900.	56. #	NR	85.HRBW	NR	NR	NR
	T 49100.	95200.	55. #	NR				
	TC	TC	TC	TC				

\* Y.S. BY 0.24 OFFSET METHOD  
# ELONG AT FRACTURE

N 10204:2005 - 3.1 CERTIFICATE DOES NOT INDICATE PED APPROVAL FOR THIS MATERIAL.

05/06/16 07:13:36

**CONFIDENTIAL—Furnish Help:** The assignment was turned over to carrier in full data condition, being correctly indexed, at which time our responsibility for loss or damage is subsequent created. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

**WARNING:** Safety Data Sheets for this product are available on our website, [www.Armadillo.com](http://www.Armadillo.com). A thorough review of the Safety Data Sheet for the grade of material purchased shall be performed prior to working with this product and its safety. A health consideration outlined must be implemented.

The above is a true copy of such as this. The material and text remains uniform to the audio content and specifically as set forth in ATY First Radio Products' Order Acknowledgment.

Stephen Wolff - *[Signature]*  
Director, Corporate Quality Assurance



## A1 515945 0814

The above is a true copy of data on file. The material and test results conform to the order notations and specifications on set form in ATI Plus Product Order Acknowledgment.

Stephen Whitt . *Stephen Whitt*  
 Director, Concrete Quality Assurance

